



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/581,410

06/01/2006

Daisuke Kumaki

0553-0504

3756

26568

7590

06/10/2009

COOK ALEX LTD

SUITE 2850

200 WEST ADAMS STREET

CHICAGO, IL 60606

EXAMINER

BOWMAN, MARY ELLEN

ART UNIT

PAPER NUMBER

2879

MAIL DATE

DELIVERY MODE

06/10/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/581,410	<b>Applicant(s)</b> KUMAKI ET AL.	
	<b>Examiner</b> MARY ELLEN BOWMAN	<b>Art Unit</b> 2879	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 3/18/09.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 9-20 and 32-47 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 9-20 and 32-47 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 01 June 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☒ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                       | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>3/18/09</u> .   | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Information Disclosure Statement***

The information disclosure statement (IDS) submitted on March 18, 2009 was considered by the examiner.

### ***Response to Arguments***

Applicant's arguments filed March 18, 2009 have been fully considered but they are not persuasive. Applicant's sole substantive argument is that the first and second layer respectively do not contact the first and second electrodes. However, as demonstrated by the drawings of Kido, each of the layers of the device contact each of the other layers either directly or indirectly, because there are no gaps between the layers of the device. The term, "contact" is interpreted to mean direct or indirect contact, i.e., contacting through another solid object.

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –


(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 9-20 and 32-47 are rejected under 35 U.S.C. 102(b) as being anticipated by Kido et al., USP App. Pub. No. 2003/0189401 A1, published October 9, 2003 (hereinafter referred to as "Kido").

**Regarding claim 9, Kido discloses a light emitting element comprising: a first electrode and a second electrode (e.g., Fig. 2 above, anode and cathode); a first layer and a second layer each generating holes (see Figure 2 above, there are two hole transporting layers;**

Art Unit: 2879

and [0028]; “it is desirable for the charge generation layer to include a laminated and/or a mixed layer including an organic compound having...a hole transporting property [i.e., hole generating layer]...and an inorganic...material”); **a third layer containing a light emitting material** (e.g., Figure 2, light emitting layer); **and a fourth layer generating electrons** (e.g., [0041]; “an electron injection layer having a mixture including an organic compound and a metal functioning as an electron donating dopant”), **wherein the first layer is in contact with the first electrode, the second layer is in contact with the second electrode** (each of the layers is in contact with each of the other layers either directly or indirectly because there are no gaps between the layers of the device), **the third layer is provided between the first electrode and the second electrode with the first layer and the second layer respectively therebetween, and the fourth layer is provided between the third layer and the second layer** (e.g., Figure 2 above).



**Regarding claim 13**, Kido discloses **a light emitting element comprising: a first electrode and a second electrode** (e.g., Fig. 2 above, cathode and anode); **a first layer and a second layer each containing a P-type semiconductor** (see Figure 2 above, there are two hole transporting layers; and [0028]; “it is desirable for the charge generation layer to include a laminated and/or a mixed layer including an organic compound having...a hole transporting property [i.e., P-type semiconductor]...and an inorganic...material”); **a third layer containing a light emitting material** (e.g., Figure 2, light emitting layer); **and a fourth layer containing an N-type semiconductor** (e.g., [0041]; “an electron injection layer having a mixture including an organic compound and a metal functioning as an electron donating dopant [i.e., N-type semiconductor]”), **wherein the first layer is in contact with the first electrode, the second layer is in contact with the second electrode** (each of the layers is in contact with each of the other layers either directly or indirectly because there are no gaps between the layers of the device), **the third layer is provided between the first electrode and the second electrode with the first layer and the second layer respectively therebetween, and the fourth layer is provided between the third layer and the second layer** (e.g., Figure 2 above).

**Regarding claim 34**, Kido discloses **a light emitting element comprising: a first electrode over a substrate** (e.g., Fig. 2 above, anode over substrate, [0057]); **a first layer generating holes over and in contact with the first electrode** (see Figure 2 above, there are two hole transporting layers; and [0028]; “it is desirable for the charge generation layer to include a laminated and/or a mixed layer including an organic compound having...a hole transporting property [i.e., hole generating layer]...and an inorganic...material [i.e., which accepts the electrons of the organic material]”, Note: Each of the layers indirectly contacts the other

Art Unit: 2879

layers because there are no gaps in between any of the layers in the device); **a third layer containing a light emitting material over the first layer** (e.g., Figure 2, light emitting layer); **a fourth layer generating electrons over the third layer** (e.g., [0041]; “an electron injection layer having a mixture including an organic compound and a metal functioning as an electron donating dopant”), **a second layer generating holes over the fourth layer** (see Figure 2 above, there are two hole transporting layers; and [0028]; “it is desirable for the charge generation layer to include a laminated and/or a mixed layer including an organic compound having...a hole transporting property [i.e., hole generating layer]...and an inorganic...material [i.e., which accepts the electrons of the organic material]”); **and a second electrode over and in contact with the second layer** (cathode over and indirectly contacting second layer because all of the layers contact each other through the other layers).

**Regarding claim 39**, Kido discloses **a light emitting element comprising: a first electrode over a substrate** (e.g., Fig. 2 above, anode over substrate, [0057]); **a first layer containing a P-type semiconductor over and in contact with the first electrode** (see Figure 2 above, there are two hole transporting layers; and [0028]; “it is desirable for the charge generation layer to include a laminated and/or a mixed layer including an organic compound having...a hole transporting property [i.e., P-type semiconductor]...and an inorganic...material”; Note: each of the layers is either directly or indirectly contacting the other layers of the device because there are no gaps between the layers); **a third layer containing a light emitting material over the first layer** (e.g., Figure 2, light emitting layer); **a fourth layer containing an N-type semiconductor over the third layer** (e.g., [0041]; “an electron injection layer having a mixture including an organic compound and a metal functioning as an electron donating dopant

Art Unit: 2879

[i.e., N-type semiconductor]”), **a second layer containing a P-type semiconductor over the fourth layer** (see Figure 2 above, there are two hole transporting layers; and [0028]; “it is desirable for the charge generation layer to include a laminated and/or a mixed layer including an organic compound having...a hole transporting property [i.e., P-type semiconductor]...and an inorganic...material”), **a second electrode over and in contact with the second layer** (e.g., cathode indirectly contacting second layer).

**Regarding claims 10, 18, 35 and 44**, Kido discloses the inventions as explained above regarding claims 9, 13, 34 and 39 respectively, and further discloses **the thickness of each of the first layer and the second layer is 30 nm to 1  $\mu$ m** (e.g., [0052]; “a hole injection layer including an electron accepting compound and having a thickness of not more than 30 nm [i.e., including 30 nm, which is within the claimed range]”; see also Figure 2, there are two hole transporting layers, one on either side of the light emitting layer).

**Regarding claims 11, 19, 36 and 45**, Kido discloses the inventions as explained above regarding claims 9, 13, 34 and 39 respectively, and further discloses **the thickness of the second layer is 50% to 150% of the thickness of the first layer, and the thickness of the first layer is 50% to 150% of the thickness of the second layer** (e.g., [0052]; “a hole injection layer including an electron accepting compound and having a thickness of not more than 30 nm [i.e., including 30 nm, which is within the claimed range]”; see also Figure 2, there are two hole transporting layers, one on either side of the light emitting layer, and they are each of the thickness not more than 30 nm).


**Regarding claims 12, 20, 37 and 46**, Kido discloses the inventions as explained above regarding claims 9, 13, 34 and 39 respectively, and further discloses **t voltage is applied so as to**

Art Unit: 2879

**make the light emitting element emit light, the electrode applied with higher potential is the first electrode, and the electrode applied with lower potential is the second electrode (e.g.,**

Figure 34 below, higher potential applied to first electrode, lower potential applied to second electrode, denoted by conventional circuitry).

**Fig. 34**



**Regarding claims 14 and 40,** Kido discloses the inventions as explained above regarding claims 13 and 39 respectively, and further discloses **the inorganic material (the P-type semiconductor; the material which accepts electrons) is a metal oxide** (e.g., [0033]; “the inorganic material can be a metal oxide”).

**Regarding claims 15 and 41,** Kido discloses the inventions as explained above regarding claims 13 and 39 respectively, and further discloses **the metal oxide (the P-type semiconductor) is one or more compounds selected from the group consisting of vanadium**



Art Unit: 2879

**oxide, molybdenum oxide, cobalt oxide, and nickel oxide, zinc oxide, indium oxide, tin oxide, antimony oxide, and tungsten oxide** (e.g., [0035]; “the metal oxide can be vanadium pentaoxide”).

**Regarding claims 16 and 42**, Kido discloses the inventions as explained above regarding claims 13 and 39 respectively, and further discloses **the N-type semiconductor is a metal oxide** (e.g., [0041]; “an electron injection layer [i.e., N-type semiconductor] having...a metal functioning as an electron donating dopant” and [0033]; “the inorganic material [i.e., the metal included in any of the charge generation layers] can be a metal oxide”).

**Regarding claims 17 and 43**, Kido discloses the inventions as explained above regarding claims 13 and 39 respectively, and further discloses **the N-type semiconductor is one or more compounds selected from the group consisting of zinc oxide, zinc sulfide, zinc selenide, and titanium oxide** (e.g., [0033]; “the inorganic material [i.e., the metal in a charge generation layer] can be a metal oxide” and [0047]; “metal to include at least one selected from...titanium”).

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2879

Claims 32, 33, 38 and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kido in view of Nakaya et al., USP App. Pub. No. 2004/0234814 A1, published November 25, 2004 (hereinafter referred to as "Nakaya").

**Regarding claims 32, 33, 38 and 47**, Kido teaches the inventions as explained above regarding claims 9, 13, 34 and 39 respectively, and further teaches the use of the light emitting device in a display device ([0002]). However, Kido fails to teach a specific display device.

In the same field of endeavor of OLEDs, Nakaya teaches **the light emitting element is incorporated in one selected from the group consisting of a television, a mobile phone, a computer, and a game machine** ([0227]).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the light emitting device of Kido in a display device such as those listed in Nakaya, because OLEDs are suitable light emitting sources for the display devices listed in Nakaya.

### ***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Art Unit: 2879

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARY ELLEN BOWMAN whose telephone number is (571) 270-5383. The examiner can normally be reached on Monday-Thursday, 7:30 a.m.-6:00 p.m. EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel can be reached on (571) 272-2457. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/M. B./

Examiner, Art Unit 2879

/NIMESHKUMAR D. PATEL/

Supervisory Patent Examiner, Art Unit 2879

Application/Control Number: 10/581,410

Page 11

Art Unit: 2879